

# **Fifty mFRR EAM Recurring Meeting**

## **Statnett, Svenska Kraftnät and Fifty**

### **- technical view**

11.10.2022

Visit [nordicbalancingmodel.net](http://nordicbalancingmodel.net)



# Agenda

- Transition phase – activation ordering
- Transition phase – Implementation Guide

# Transition phase –activation ordering

	Currently – Old Activation doc	Transition	Go-live mFRR EAM
<i>Bid activation</i>	A40 (direct act.)	New Activation doc A40 (direct act.)	New Activation doc A39 (scheduled act.) A40 (direct act.)
<i>Production shift</i> ( <i>Produksjonsflytting/ Kvartsaffär</i> )	Z15	Old Activation Doc Z15	Discontinued: Replaced by Period Shift – Z40
<i>Production smoothing</i> ( <i>Produksjonsglatting</i> )	A39	New Activation Doc Z41	New Activation doc Z41

# Transition phase – Implementation Guide

New implementation guide for Transistion will be sent out during week 42.

# Open Q&A

- BSP Heartbeat:
  - There are several unclarities regarding the BSP heartbeat service, we need more clear documentaion around purpose of the service.
  - When in the quarter will the messages be sendt from the BSP Heartbeat service?
  - Where in the BSP System should the heartbeat be answered? Ex from the SCADA system or from the system recieving the message?
  - Do we have any requirements that needs to be fulfilled in order to use the BSP Heartbeartbeat service?
- Activation Doc's
  - A decision has been made that the old activation doc for production shift, Z15, will be used during Transition. Several BSP's are not happy with this decision, they want the new activation doc Z40 to be used. Statnett must give the BSPs a proper answear to this decision.

# What's Next?

- What would you like to discuss in future meetings?
- Questions?

# Examples, FAQ and more information on the webpage

[Welcome to Fifty mFRR EAM :: BSP Integration documentation](#)



**Statnett**